



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		CH'D TITLEBLOCK & REVISION BLOCK, CH'D ENGRAVE NOTE.	6/9/2009	RJC	RW
1A		CH'D BLACK OXIDE TO BLACK ZINC.	9/8/2011	SE	RW
2	16-0124	-1 -2 ADDED FINISH SPEC BLACK ZINC ASTM B633 TYPE II SC 2. -1 CH'D MAT'L WAS C.F. HEX IS STEEL. -2 REMOVED NOTE 2.	8/18/2016	DEW	JAG



NOTES:




1. WRENCH FOR T/R BUSHING
ALSO P/N RBA1600-80902
2. BAG & TAG W/ LABEL

DART AEROSPACE	
TITLE T/R BUSHING WRENCH	
DWG NO. 269T9319	REV 2
MAT'L HEAT TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125°
DRAWN BY: PERRITT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: LINDSAY	USED ON MODEL
APPROVED: GILBERT	
SCALE 2:1	DATE 6/24/2005
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	WRENCH	STEEL	7/16 HEX DR. POWER #2 (DGI SUPPLY #482X) MODIFIED	
			-2	1	PIN	01		

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0124	-1 CH'D MAT'L WAS C.F. HEX IS STEEL. ADDED FINISH SPEC BLACK ZINC ASTM B633 TYPE II SC 2.	8/18/2016	DEW	JAG




-1
WRENCH

DART AEROSPACE																		
TITLE T/R BUSHING WRENCH																		
DWG NO. 269T9319-1	REV 2																	
<table border="1"> <tr> <td>MAT'L STEEL</td> <td rowspan="4"> UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° ✓ </td> </tr> <tr> <td>HEAT TREAT</td> </tr> <tr> <td>FINISH BLACK ZINC</td> </tr> <tr> <td>SPEC ASTM B633 TYPE II SC 2</td> </tr> <tr> <td>DRAWN BY: PERRITT</td> <td>1. BREAK ALL SHARP EDGES .015 x 45° OR .015R</td> </tr> <tr> <td>CHECKED: DUERFELDT</td> <td>2. DIMENSIONAL LIMITS APPLY AFTER PLATING</td> </tr> <tr> <td>OPPS APPR: ANDERSON</td> <td>3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009</td> </tr> <tr> <td>QA APPR: LINDSAY</td> <td>USED ON MODEL</td> </tr> <tr> <td>APPROVED: GILBERT</td> <td></td> </tr> <tr> <td>SCALE 2:1</td> <td>DATE 6/24/2005 SHEET 2 OF 3</td> </tr> </table>		MAT'L STEEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° ✓	HEAT TREAT	FINISH BLACK ZINC	SPEC ASTM B633 TYPE II SC 2	DRAWN BY: PERRITT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	CHECKED: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	QA APPR: LINDSAY	USED ON MODEL	APPROVED: GILBERT		SCALE 2:1	DATE 6/24/2005 SHEET 2 OF 3
MAT'L STEEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° ✓																	
HEAT TREAT																		
FINISH BLACK ZINC																		
SPEC ASTM B633 TYPE II SC 2																		
DRAWN BY: PERRITT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R																	
CHECKED: DUERFELDT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING																	
OPPS APPR: ANDERSON	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009																	
QA APPR: LINDSAY	USED ON MODEL																	
APPROVED: GILBERT																		
SCALE 2:1	DATE 6/24/2005 SHEET 2 OF 3																	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	16-0124	-2 ADDED FINISH SPEC BLACK ZINC ASTM B633 TYPE II SC 2.	8/18/2016	DEW	JAG



-2
PIN

DART AEROSPACE	
TITLE T/R BUSHING WRENCH	
DWG NO. 269T9319-2	REV 2
MAT'L 01	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH BLACK ZINC	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE II SC 2	.XX ± .01 ANGLES ± .5°
DRAWN BY: PERRITT	.X ± .1 SURFACES = 125/✓
CHECKED: DUERFELDT	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
SCALE 2:1	DATE 6/24/2005
SHEET 3 OF 3	